



GSS JAPAN

www.GSSJAPAN.COM

会社案内 INFORMATIONS

<p>AI intelligent voice thermometer Near-field automatic temperature measurement, intelligent voice temperature reporting</p>	<p>Imported infrared probe Powerful Ai intelligent voice technology Complete temperature measurement and voice broadcast in 0.5 seconds High temperature automatic alarm, low temperature prompt, measuring human body temperature tolerance within ± 0.1.</p>	<p>HIGH TEMPERATURE WARNING When a high temperature is detected, the screen displays red and a loud alarm sounds</p>	<p>INTELLIGENT DETECTOR Intelligent / Accurate / Efficient</p> <ul style="list-style-type: none">• Accurate and fast detector• Many simple installation application scenarios <p>Automatic operation</p>
	<p>Smart Helmet Created with decades of ingenuity First choice for epidemic prevention Advanced Metamaterials High-precision Temperature Screening Maneuvering Non-interference Screening Hi-tech Ultimate Experience</p>		
	<p>3M Health Care Particulate Respirator and Surgical Mask Respirador contra los partículas para el manejo de sangre y mascarilla quirúrgica para cuidado de la salud</p>	<p>Disposable Face Masks for Children and Adult Excellent fabric, Preferred for protection</p>	



The largest science & technology serviced industry group in China's energy conservation and environmental protection field

Always Focus on Energy Conservation and Environmental Protection Industry to create the "full industrial chain"

CECEP has 543 branch companies and 6 listed companies, which are allocated in almost 30 provinces and cities and almost 40 overseas countries and regions.

CECEP has always been focusing on energy conservation and environmental protection field, creating full industrial chain of energy conservation and environmental protection based on integrated service of energy conservation and environmental protection; providing integrated solutions and services for customers from domestic and overseas markets, and actively creating a globally top-class scientific service industrial group with international competitiveness in the energy conservation and environmental protection field.



CECEP Solar Energy Technology (Zhenjiang) Co., Ltd. was established in August 2010 with a registered capital of 351 million Yuan. It is the subsidiary of CECEP Solar Energy Co., Ltd.---a large size state-owned enterprise, mainly specialized in the research & development of PV technology, manufacture and sales of PV products, design and installation of PV systems.





Solar

PV attached agricultural greenhouse

60 MW @ Hanchuan, Hubei province, the largest in China



Double Glass Transparent Solar Panels (Color Choice)





Automated Solar Panels Cleaning Robots





GSS JAPAN

www.gssjapan.com

Solar Water Pumps & Filtration

the fourth generation solar pump
PMSM BLDC sensorless
built-in electronic AC/DC hybrid solar pump



for
drinking



for
irrigation



for
storage



for
animals



Solar Battery
Ultra-Low-Power Sound-Light alarm network camera

New generation solar battery camera
Enjoy 1080P full HD quality
Take photo of all the time at anytime & anywhere
Y3 is solar battery professional network camera, with the latest unique design
All metal waterproof shell, super-power solar panel, built in 10000mA battery.

ソーラーバッテリーカメラ
次世代ハイスペック防犯カメラ

Quick view | Motion detection | Privacy mask | Cloud storage | Two-way audio | Night vision | Face detection | Motion detection | Privacy mask | Cloud storage | Two-way audio | Night vision | Face detection

Waterproof and thunderproof, safer for outdoor using

Heat sink for storage and outdoor, equipped with IP66 anti-interference aluminum alloy shell which is waterproof, thunderproof, resist moisture and rain.

The camera works stably even in the face of storms and thunderstorms, can be suitable for all kinds of severe environments.

Rain | snow | sun

It is equipped with large area solar panels

It has with 3W main solar panels, both sides with two 1.5W solar panels
All-directional absorption of energy without dead angle

Power

Fast charging chip speed up by 60%
Intelligent CPU upgrade computing mode
With imported chips, more intelligent, more secure, faster charging

60% >3V 10000mA 90%

No need to plug, without power wire, solar cycle charging
With flexible bracket, full metal waterproof design, can be used in various environments.

Scenic Area | Fishpond | Garden
Courtyard | building site | Road

FINDCAM MAX

Remote live & Remote playback & Remote control
Add device with one click | Device Condition | Live Playback & Control | Information List

Packaging Details	
package	Camera (packed including) x1
Accessories	Bagage Y1 x1
18650Battery	
Quick start guide x1	

Appearance Description	
Solar panels	IR Sensor
LENS	PIR
MIC	Alarm Lamp
TF CARD	Speaker & Battery

Technical Parameters	
Design version:	IP66 H.265 Version
Power Supply:	3W+2W Single Crystal silicon
Power Consumption:	3W+2W Single Crystal silicon
Power Generation:	3W+2W Single Crystal silicon
Power Storage:	18650 10000mA
Power Output:	DC 5V 2A
Power Efficiency:	90%
Working Temperature:	-40~70°C
Storage Environment:	0~40°C
Cloud Connection:	Cloud Camera
Cloud Configuration:	Cloud Camera
System Configuration:	Cloud Camera
Network Connection:	Cloud Camera
Working Temperature:	-40~70°C

Y2

Up to 800MA charge
3W + 2W Single Crystal silicon
Efficient solar cell
Full surrounding enclosure design

Up to 8 Months
low power standby
Built in 10000mA batteries

Up to 18 cloudy days
Alarm mode full load operation

Dual core
Sound-Light alarm mode
Infrared Leads + Alarm lamp + Alarm white
White light lamp + Exposure lamp

Enhanced
1080P Full HD image quality
WiFi Antenna 5db

Advanced
Solar energy professional circuit

Solar Panel To Sunlight

Solar panel could rise up and fold, which is better for solar panel face the sun direction in both side of road.

Not Face to sunlight. VS Face to sunlight.
Normal | Foldable

Solar Panel Efficiency 60% Higher

Better Heat Dissipation

Better Heat Dissipation—Enlarge Lifespan

Solar panel is 90°C, separated hot solar panel will shade lamp body and not conduct heat to battery and LED, makes it cool

90°C inside
Separate with Body
Shadow
VS
More than 70 degree will destroy the battery



GSS JAPAN
www.gssjapan.com

見えない熱を可視化する

ワイルスの感染拡大伴い発熱している人を瞬時に検知できるサーモカメラの需要が高めています。

JMS相機AI熱感測出システムは複数人の体温を同時にかつ非接触で検知可能であり、大人数の人がある場所で、体温が高い人を同時に多数かつ高速に検知できるのが最大の特徴です。

誤差は約±3℃、高速で正確な検定が可能です。

アプリケーション



製品特徴

1. 発熱者を即時にスクリーニング
2. 非接触で体表面温度をリアルタイムで測定
3. 発熱者を感知した場合はすぐにアラームでお知らせ
4. 誤差わずか0.3°Cで同時に多人数の測定が可能
5. 設置場所を選ばない三脚による仮設設置が短時間で可能
6. 本体の内蔵スピーカーとLEDでお知らせ



Solution



AI Thermal temperature IP camera



Product Features

High sensitivity thermal module with 256 x 192 resolution;
NETD is less than 60 MK (@25°C, F#=1.0);
Supports contrast adjustment;
Leading thermal image processing technology: Adaptive AGC, DDE, 3D DNR;
Up to 15 palettes of adjustable color;
Reliable temperature-anomaly alarm;
Temperature Range From -15°C to +150°C ;
Body Temperature Range From 35°C to +50°C
High quality optical module with 2 MP resolution; Bi-spectrum image fusion, picture-in-picture preview. Support for capture and save in PC of personnel in and out

ADVANCED INFRARED THERMOMETER



- 1S Rapid Testing
- ±0.2 High Accuracy
- Alarm Sound
- Alarm Light
- °C/°F Switch



Infrared Measurement
0.5s Accurate Reading
No Skin Contact: Safe from Bacteria



Imported infrared probe Powerful Ai intelligent voice technology

Complete temperature measurement and voice broadcast in 0.5 seconds

High temperature automatic alarm,
low temperature prompt, measuring human body
temperature tolerance within ± 0.1 .



Low body temperature



Tips for high body temperature

AI intelligent voice thermometer

Near-field automatic temperature measurement, intelligent voice temperature reporting



Auto Temperature Detection & Sanitization 2-in-1 Device



Automatically sense Rinse Free Hand Sanitizer Gel

Hospitals Schools Supermarkets Exhibitions Hotels



School



Public transportation



Office Building



Factory



YOU NEED A MORE INTELLIGENT THERMOMETER



EFFICIENT AUTOMATIC DETECTION

Suitable for public places with more people

This product is suitable for the public places with large flow of people, and it can quickly monitor the temperature.

It has the advantages of non-contact temperature measurement, high accuracy, fast measurement speed, over temperature voice alarm and so on.

It is especially suitable for schools, offices, public transportation, supermarkets, cinemas, communities, ports, airports, wharves, stations, organs and other occasions.

INTELLIGENT DETECTOR

Intelligent / Accurate / Efficient

- Accurate and fast detector
- Many simple installation application scenarios



HIGH TEMPERATURE WARNING

When a high temperature is detected,
the screen displays red and a loud alarm sounds

Normal temperature

Abnormal temperature

Fever and fever



No alarm

Alert

Alert

Green
 $34^{\circ}\text{C} - 37.3^{\circ}\text{C}$



Orange
 $37.4^{\circ}\text{C} - 38^{\circ}\text{C}$

Red
 $T \geq 38.1^{\circ}\text{C}$



Application scenario

Widely used in schools, factories, office buildings, apartments, supermarkets and other places



Touchless Body Temperature Measurement&Monitor Solution





GSS JAPAN
www.gssjapan.com









『高性能商品をより安く』

株式会社ジーエスエスJAPANは、皆様に高性能で高品質な防犯システムやインテリジェント監視ソリューションをご提供させていただく会社です。当社製品は最高のメガピクセル防犯カメラ(200万~1200万画素)を用い、一般の防犯カメラより多くの高性能インテリジェンス機能を備えています。画面上に仮想的に引かれたラインを通過した人を検知したり、様々な機能を用いた映像監視が可能です。鮮明な画像をH265方式でハードディスクに保存できます。また、スマートフォンやパソコンをいて防犯カメラが映す現在のライブ映像を遠隔地で確認できるだけでなく、遠隔地からリアルタイムでカメラの向きを変えたり、望遠ズーム等の操作をすることが可能ですが。犯罪を未然に防ぐことは難しいですが、当社製品は犯罪抑止の効果を高められると自信を持ってお勧め致します。この機会にぜひ当社製品をご検討下さい。

Intelligent Video System (IVS)

With built in Intelligent Video Analytics, the NVR has the ability to detect and analyze moving objects for improved Video Surveillance. The NVR provides optional Intelligence at the edge allowing detection of multiple object behaviors such as abandoned or missing objects. IVS also supports tripwire analytics, allowing the Camera to detect when a pre-determined line has been crossed, ideal for large scale business intelligence. Some IP Cameras have a built-in video analysis based on intelligent algorithms and can achieve the following:

MOTION DETECTION, TRIPWIRE / GUARD LINE, INTRUSION, ABANDONED / MISSING OBJECTS can timely, quickly and accurately respond to monitoring events in specific area. It enhances monitoring efficiency.



What is H.265 ? and what does it mean for security systems ?

H.265 video codec achieves a better compression ratio while maintaining high quality pictures at reduced network bandwidths. In short, H.265 coding means you can stream an 8 or 12 MP IP camera's video, or even multiple 12 MP cameras, with much greater ease over your network, and when your footage is stored on your NVR, you will be able to fit a significantly higher amount of footage onto a single HDD. H.265 gives you better, faster streaming, and saves you money on the amount of storage you need to provide for your data on your NVR.



GSS JAPAN

The intelligent security system


SONY STARVIS

Starlight level CMOS sensor

Color: 0.0001Lux@F1.2(AGC ON); BW: 0Lux@F1.2(IR ON)

Born for Night vision

- SONY Exmor **STARVIS** CMOS sensor
- Large 2.9 μm unit pixel size
- Color: 0.0001Lux@F1.2(AGC ON) ; BW: 0Lux(IR ON).



月明り、星明りだけでも
鮮明な映像を再現

超低照度監視システムカメラ 30x Starlight

1/1.8" 1080P SONY Exmor cmos 搭載



The intelligent security system



STARVIS

Outstanding Visibility under the Starlight

starlight IP camera



Starlight Color Night Vision



normal camera



Ordinary Infrared Camera at Night



Starlight Camera at Night



STARLIGHT

" We make darkness visible "



見えない熱を可視化する

ウイルスの感染拡大に伴い発熱している人を瞬時に検知できるサーモカメラの需要が急増しています。JMS知能クイック温度検出システムは複数人の体温を同時にかつ非接触で検知可能であり、大人数の人で集まる場所で、体温の高い人を同時に多数かつ高速に検知できるのが最大の特徴です。
誤差は約 ±0.3°C。高速で正確な測定が可能です。



アプリケーション

- ・動画記録と自動測定
- ・発熱者自動検出
- ・直近の動向記録
- ・動画再生

動作環境

- スマートフォン
- タブレット
- PC

デジタルスクリーンディスプレイ

製品特徴

- 1 発熱者を即時にスクリーニング
- 2 非接触で体表面温度をリアルタイムで測定
- 3 発熱者を感知した場合はすぐにアラームでお知らせ
- 4 誤差わずか 0.3°Cで同時に多人数の測定が可能
- 5 設置場所を選ばない三脚による仮設設置が短時間で可能
- 6 本体の内蔵スピーカーと LED でお知らせ



GSS JAPAN
www.gssjapan.com

Customer-oriented, value creation



SOLE AGENTS



GSS JAPAN CO., LTD

株式会社 ジーエスエスJAPAN

〒319-0124 茨城県小美玉市花野井783-2
Ibaraki-ken, Omitama-City, Hananoi 783-2. Japan

Tel: +81 299-368160 Fax: +81 299-368161

mail@gssjapan.com www.gssjapan.com

Japan. China. Taiwan. Pakistan. Kenya. Uganda. UAE